### **HITT Marking Devices**

National Stencil & Sign

Rubber Stamps R Us





2019

JRS Sign Supply
Catalog



Sign Frames & Holders // Laser & Rotary Engraving Materials Braille & ADA Supplies // Badge Accessories // Sign Supplies



# Holders & Frames

JRS has become the industry leader in the manufacturing of sign frames and holders in the U.S.A. We have developed a standard which ensures the highest quality products and complete customer satisfaction. Producing our wide range of products solely in America, we are proud to give our customers exactly what they want. We will make our quality frames and holders to any customized specifications asked for in a timely process.

In this section you ind a wide assortment of standard sizes for our desk holders, corridor brackets, wall holders, desk bases and extrusions.

You can also view our popular selection of custom frames with a wide variety of options including lenses, dividers and anodized colors.





### **Desk Holders**



JRS desk holders are made from a premium aluminum billet and are available in multiple styles and sizes. Holders for desks, counters, walls and doors enhance the signs that serve you daily.

### **PRODUCT DETAILS**

Material: Aluminum

Polished Colors: Polished Silver, Polished Rose

Gold, Polished Yellow Gold

Satin Colors: Satin Silver, Satin Rose Gold,

Satin Yellow Gold, Arch Bronze
: Matte Black, Raw Aluminum

Other Colors: Matte Black, Raw Aluminum
Additional Info: Custom Lengths up to 39"

available

### Traditional Desk Holder

Part Number	Insert Height	Material Thickness	Standard Le	engths		
85	.75"	1/16"	4"	6"	8"	10"
25	1"	1/16"	6"	7"	8"	10"
54	1.25"	1/16"	6"	8"	10"	
70	1.5"	1/16"	7.5"	8"	10"	
19	1.5"	1/8"	7.5"	8"	10"	
14	1.625"	1/16"	7.5"	8"	10"	
48	2"	1/16"	8"	10"	12"	
11	2"	1/8"	6"	8"	10"	12"
483	2"	3/32"	8"	10"	12"	
16	3.25"	1/8"	10"	12"		



Traditional Desk Holder



### Ribbed Desk Holder

Part Number	Insert Height	Material Thickness	Standard Lengths		
59	2"	1/16"	8"	10"	12"

Ribbed desk holders hold a 2 inch by 1/16 inch thick material and provide a professional and elegant solution for desk nameplates and directional signage with a thicker beveled border compared to the traditional desk holder.

### Raised Desk Holder

Part Number	Insert Height	Material Thickness	Standard	Lengths		
31	1.5"	1/16"	8"	9"	10"	
30	2"	1/16"	8"	10"		

Raised desk holders are like traditional desk holders but have a ixed base which elevates the holder of the table.



Raised Desk Holder

### **Desk Holders**

### PRODUCT DETAILS

Material: Aluminum

Satin Colors:

Polished Colors: Polished Silver, Polished Rose

Gold, Polished Yellow Gold

Satin Silver, Satin Rose Gold, Satin Yellow Gold, Arch Bronze

Matte Black, Raw Aluminum

Other Colors: Additional Info: Custom Lengths up to 39"

available

JRS desk holders are made from a premium aluminum billet and are available in multiple styles and sizes. Holders for desks, counters, walls and doors enhance the signs that serve you daily.





### Flip Desk Holder

Part Number	Insert Height A	Insert Height B	Material Thickness	Standard Le	ngths
60	2"	1.5"	1/16"	8"	10"

Two slot lip holders are perfect for quickly changing the message by lipping the holder to display the plate on the underside.

### Double Sided Tent Desk Holder

Part Number	Insert Height A	Insert Height B	Material Thickness	Standard	Lengths	
71	1.25"	1.25"	1/16"	6"	8"	10"
33	2"	2"	1/16"	8"	10"	

Double sided tent holders are perfect for quickly changing the message by rotating the holder to display the plate on the backside.





### 2-Slot Desk Holder

Part Number	Top Slot Height	Bottom Height	Material Thickness	Stand	ard Length	าร	
23	2"	1.5"	1/16"	8"	9"	10"	12"
61	1"	1.25"	1/16"	8"	10"		

2-Slot desk holders are like traditional desk holders but have two slots stacked.


### Desk Holder with Pens

Part Number	Insert Height	Material Thickness	Standar	d Lengths	
34	2"	1/16"	8"	10"	

Desk holders with pens are like traditional desk holders but have two pen holders and a slot for business cards. Only available in Polished Rose Gold and Polished Silver.



### **Desk Bases**



Desk and counter bases are designed to support both small and large signs by having a single base slot and no top channel. JRS desk bases are availabe in multiple styles and come in both plastic and aluminum.

### PRODUCT DETAILS

Material: Aluminum

Polished Colors: Polished Silver, Polished Rose

Gold, Polished Yellow Gold

Satin Colors: Satin Silver, Satin Rose Gold,

Satin Yellow Gold, Arch Bronze Matte Black, Raw Aluminum

Other Colors: Matte Black, Raw Aluminur Additional Info: Custom Lengths up to 39"

available

### Traditional Desk Base

Part Number	Base Depth	Material Thickness	Max. Sign Height	Standa	ard Length	S		
15	3/4"	1/16"	2"	6"	7.5"	8"	10"	12"
50	15/16"	1/16"	3"	6"	8"	10"		
97	1-7/16"	1/16"	7"	8"	10"	12"		
17	1-3/32"	1/8"	4"	8"	10"	12"		
55	2-3/16"	1/8"	8"	8"	10"	12"		



Traditional Desk Base



**Business Card Desk Base** 

### **Business Card Desk Base**

Part Number	Base Depth	Material Thickness	0	Standard Length
40	1.25"	1/16"	3"	3.75"

Business card desk bases have a slot for a nameplate or message and a slot for storing business cards.

### Vertical Desk Base

Part Number	Base Depth	Material Thickness	Max. Sign Height	Standard	Lengths	
35	1.25"	1/16"	6"	6"	8"	10"
42	1.25"	1/8"	6"	6"	8"	10"
22	2.5"	1/8"	12"	6"	8"	10"
39	1.25"	3/32"	6"	6"	8"	10"

Vertical desk bases allow the nameplate or message to be mounted vertically and also allows the sign to be rotated displaying a message on the backside.



Vertical Desk Rase

### **Desk Bases**

### PRODUCT DETAILS

Material: Aluminum

Satin Colors:

Polished Colors: Polished Silver, Polished Rose

Gold, Polished Yellow Gold

Satin Silver, Satin Rose Gold,

Satin Yellow Gold, Arch Bronze

Other Colors: Matte Black, Raw Aluminum Additional Info: Custom Lengths up to 39"

available

Desk and counter bases are designed to support both small and large signs by having a single base slot and no top channel. JRS desk bases are availabe in multiple styles and come in both plastic and aluminum.





Raised Desk Base

### Raised Desk Base

Part Number	Base Depth	Shelf Depth	Max. Sign Height	Stand	ard Lengths	
111	1-3/8"	1/8"	4"	6"	9"	

Raised desk bases have a ixed base which elevates the holder of the table.

### Low Proile Desk Base

Part Number	Base Depth	Material Thickness		Standard Lengths		
74	1.5"	1/8"	5"	6"	9"	

Low proile desk bases provide a streamline alternative to the traditional desk holders.



Low Proile Desk Base




Vertical Grip Desk Base

### Vertical Grip Desk Base

-	Part Number	Base Depth	Material Thickness		Standard Lengths		
	73	2"	1/8"	12"	6"	9"	12"

Vertical grip desk bases allow the nameplate or message to be mounted vertically and also allows the sign to be rotated displaying a message on the backside. These desk bases also include a special grip to lock in the material.

### **Desk Bases**



Desk and counter bases are designed to support both small and large signs by having a single base slot and no top channel.

Desk Bars are designed as a simple architecural nameplate holder or counter sign.

### PRODUCT DETAILS

Material: Plastic P100 Colors: Black, Clear

Desk Bar Colors: Almond, Arch Brown, Black,

Brown, Medium Gray, Pewter,

White

P220 Colors: Black

### Plastic Desk Base

Pari Nur				ign Stand	ard Lengths	
P100	2"	1/16"	6"	8"	10"	

Acrylic desk bases are a low proile plastic alternative to the aluminum holders. Available in black and clear only. Slot Depth of 1/8".





### Plastic Desk Bar

Part Number	Corner Style	Inside Dimensions
7029	5/16" Radius	1-3/4" x 9-1/8"
8029	Square	1-3/4" x 9-1/8"

Available Colors									
Almond	Arch Brown	Black	Brown	Medium Gray	Pewter	White			

Desk Bars are designed as a simple architectural nameplate holder or counter sign. Comes with a 1" thick base and supports 1/16" and 1/8" thick materials. Lenses can be custom ordered in a .060" thick Matte/Clear material.

### Universal Plastic Desk Base

Part	Base	Base	Width
Number	Depth	Height	
P220	1-1/8"	1-1/8"	2-5/16"

The JRS P220 Plastic Desk Base is perfect for attaching to a lat plate to quickly create a great looking desk signage. Requires adhesive to mount. Available in black only.



### **Wall Holders**

### **PRODUCT DETAILS**

Material: Aluminum

Polished Colors: Polished Silver, Polished Rose

Gold, Polished Yellow Gold

Satin Colors: Satin Silver, Satin Rose Gold,

Satin Yellow Gold, Arch Bronze

Other Colors: Matte Black, Raw Aluminum Additional Info: Custom Lengths up to 39"

available

JRS wall holders are made from a premium aluminum billet and are available in multiple styles and sizes. Holders for desks, counters, walls and doors enhance the signs that serve you daily.

Mounting holes are standard for all inserts with heights between 1-1/4" -4" and lengths 4" -24". Custom holes can be requested.





H36 Silver 10"



#52 Black 12"



#86 Polished Rose Gold 12"

### Traditional Wall Holder

Part Number	Insert Height	Material Thickness	Standar	rd Length	s 			
86	.5"	1/16"	4"	6"	8"	10"	12"	39"
100	.625"	1/16"	4"	6"	8"	10"	12"	39"
44	.75"	1/16"	4"	6"	8"	10"	12"	39"
28	1"	1/16"	4"	6"	8"	10"	12"	39"
47	1.25"	1/16"	4"	6"	8"	10"	12"	39"
29	1.5"	1/16"	4"	6"	8"	10"	12"	39"
46	1.625"	1/16"	4"	6"	8"	10"	12"	39"
87	1.75"	1/16"	4"	6"	8"	10"	12"	39"
36	2"	1/16"	4"	6"	8"	10"	12"	39"
89	2.5"	1/16"	4"	6"	8"	10"	12"	39"
37	3"	1/16"	4"	6"	8"	10"	12"	39"
49	4"	1/16"	4"	6"	8"	10"	12"	39"
206	4-13/16"	1/16"		6"	8"	10"		39"
95	1.5"	1/8"	4"	6"	8"	10"	12"	39"
88	1.75"	1/8"	4"	6"	8"	10"	12"	39"
94	2"	1/8"	4"	6"	8"	10"	12"	39"
90	2.5"	1/8"	4"	6"	8"	10"	12"	39"
52	3"	1/8"	4"	6"	8"	10"	12"	39"
51	4"	1/8"	4"	6"	8"	10"	12"	39"
363	2"	3/32"	4"	6"	8"	10"	12"	39"

### **Wall Holders**



JRS wall holders are made from a premium aluminum billet and are available in multiple styles and sizes. Holders for desks, counters, walls and doors enhance the signs that serve you daily.

### **PRODUCT DETAILS**

Material: Aluminum

Polished Colors: Polished Silver, Polished Rose

Gold, Polished Yellow Gold

Satin Colors: Satin Silver, Satin Rose Gold,

Satin Yellow Gold, Arch Bronze

Other Colors: Matte Black, Raw Aluminum Additional Info: Custom Lengths up to 39"

available

### Ribbed Wall Holder

Part Number	Insert Height	Material Thickness	Standard Lengths					
56	1"	1/16"	4"	6"	8"	10"	12"	39"
57	1.5"	1/16"	6"	8"	10"	39"		
58	2"	1/16"	8"	10"	12"	39"		

Ribbed wall holders provide a thicker beveled border compared to the traditional aluminum holder.



Ribbed Wall Holder



Directory Wall Holders

### **Directory Wall Holder**

Part Number	Insert Height	Material Thickness	Standard Length				
114	.75"	1/16"	6"	8"	10"	39"	
103	1"	1/16"	6"	8"	10"	39"	
116	1.5"	1/16"	6"	8"	10"	39"	
117	2"	1/16"	6"	8"	10"	39"	
118	3"	1/16"	6"	8"	10"	39"	

Directory wall holders can be stacked with other single channel or multiple channel wall holders to provide a directory style layout.

### 2-Slot Wall Holder

Part Number	Insert Height A	Insert Height B	Material Thickness	Standa	ard Lengtl	ns	
110	.75"	.75"	1/16"	6"	8"	10"	39"
108	.75"	1.25"	1/16"	6"	8"	10"	39"
104	1"	1"	1/16"	6"	8"	10"	39"
107	1"	1.5"	1/16"	6"	8"	10"	39"
115	1"	2"	1/16"	6"	8"	10"	39"

2-Slot wall holders can used for directory signs and can be stacked with other single channel or multiple channel wall holders to provide additional directory slots.

Directory 2-Slot and 3-Slot wall holders can be used in Euro Frame System and Flex Frames.



2-Slot Wall Holder

### **Wall Holders**

### **PRODUCT DETAILS**

Material: Aluminum

Polished Colors: Polished Silver, Polished Rose

Gold, Polished Yellow Gold

Satin Colors: Satin Silver, Satin Rose Gold,

Satin Yellow Gold, Arch Bronze

Other Colors: Matte Black, Raw Aluminum Additional Info: Custom Lengths up to 39"

available

JRS wall holders are made from a premium aluminum billet and are available in multiple styles and sizes. Holders for desks, counters, walls and doors enhance the signs that serve you daily.

Mounting holes are standard for all inserts with heights between 1-1/4" - 4" and lengths 4" - 24".





### 3-Slot Wall Holder

Part Number	Insert Height	Material Thickness	Standard Lengths				
109	.75"	1/16"	6"	8"	10"	39"	
106	1"	1/16"	6"	8"	10"	39"	
112	1.5"	1/16"	6"	8"	10"	39"	

3-Slot wall holders can used for directory signs and can be stacked with other single channel or multiple channel wall holders to provide additional directory slots.

Directory 2-Slot and 3-Slot wall holders can be used in Euro Frame System and Flex Frames.

### 6-Slot Wall Holder

Part Number	Insert Height	Material Thickness		d Lengths			
202	.5"	1/16"	6"	8"	10"	39"	

6-Slot wall holders can used for directory signs and can be stacked with other single channel or multiple channel wall holders to provide additional directory slots.





### 7-Slot Wall Holder

Part Number	Insert Height	Material Thickness	Standa	rd Lengths			
203	.625"	1/16"	6"	8"	10"	39"	

7-Slot wall holders can used for directory signs and can be stacked with other single channel or multiple channel wall holders to provide additional directory slots. Each slot in the 7-Slot Directory Wall Holder is 5/8" high.



### **Corridor Brackets**

Corridor brackets are designed to make corridor wayinding signage simple. Hold - ers for desks, counters, walls and doors enhance the signs that serve you daily.

### PRODUCT DETAILS

Material: Aluminum

Polished Colors: Polished Silver, Polished Rose

Gold, Polished Yellow Gold

Satin Colors: Satin Silver, Satin Rose Gold,

Satin Yellow Gold, Arch Bronze

Other Colors: Matte Black, Raw Aluminum Additional Info: Custom Lengths up to 39"

available

### **Corridor Bracket**

Part Number	Base Width	Material Thickness	Standard Lengths								
38	2.5"	1/8"	2"	3"	4"	5"	6"	8"	10"	12"	39"

Corridor brackets are designed to make corridor wayinding signage simple. Includes screws to hold 1/8" thick materials.



Corridor Bracket



Combo Ceiling Brackets

### Combo Ceiling Bracket

Part Number	Base Width	Material Thickness	Stan	ndard Length					
72	2.125"	1/8"	2"	4"	6"	8"	9"	12"	39"

Combo ceiling bracket is perfect for both corridor and ceiling mounted signage. Comes with a #73 grip holder with a #94 mounting bracket which allows mounting screws to be concealed.

### **Mounting Bracket**

Part Numb	Base er Width	Stand	ard Lengtl					
294	2.125"	2"	4"	6"	8"	12"	39"	

The 294 bracket is for both corridor and ceiling mounted signage. Comes with a #94 mounting bracket which allows mounting screws to be concealed, and a #200 universal mount.



Mounting Bracket



### **Universal Mount**

Part Number	Base Width	Standard Length		
200	2"	6"	9"	12"

### **Extrusions**

### **PRODUCT DETAILS**

Material: Aluminum

Polished Colors: Polished Silver, Polished Rose

Gold, Polished Yellow Gold

Satin Colors: Satin Silver, Satin Rose Gold,

Satin Yellow Gold, Arch Bronze

Other Colors: Matte Black, Raw Aluminum
Additional Info: Custom Lengths up to 39"

available

JRS Extrusions can be used to build your own custom mounting solution, use multiple extrusion to create custom sized slots, directory frames, or wayinding signage. All extrusions are available in a bright polished or satin brushed anodized aluminum inish and come in 39" lengths.





J Slot Extrusion

### J Slot Extrusion

Part Number	Material Thickness	Extrusion Height	Extrusion Depth	Standard Length
75	1/16"	3/8"	3/16"	39"
83	1/8"	1/2"	1/4"	39"

### T Divider Extrusion

Part Number	Material Thickness	Extrusion Width	Extrusion Depth	Standard Length
76	1/16"	11/16"	3/16"	39"
84	1/8"	7/8"	1/4"	39"



T Divider Extrusion



Cap Extrusion

### Cap Extrusion

Part	Material	Extrusion	Extrusion	Standard Length
Number	Thickness	Height	Depth	
27	1/8"	3/8"	3/16"	39"

### 2-Slot J Channel Extrusion

Part	Material	Extrusion	Extrusion	Standard Length
Number	Thickness	Height	Depth	
78	1/16"	13/16"	1/4"	39"



2-Slot J Channel Extrusior



### 2-Slot Slider Extrusion

Part	Slot	Material	Extrusion	Extrusion	Standard Lengths
Number	Height	Thickness	Height	Depth	
77	1"	1/16"	1-1/8"	1/4"	39"

### **Environmentals**



In our continuing efort to be a steward for the environment, we are introducing our Environmentals line of holders. Manufactured to our exacting standards for workmanship and quality from a special recycled aluminum billet that is an Environmentally Preferred Product, the Environmentals will help us as we strive to provide sustainable product solutions for your signage needs while caring for the future as well.

### PRODUCT DETAILS

Material: Recycled Aluminum

Standard Colors: Satin Yellow Gold, Satin Silver,

Matte Black, Raw Aluminum

Additional Info: Custom Lengths up to 39"

available

### **Corridor Bracket**

Part Number	Base Width	Material Thickness	Stand	dard Le	engths						
E38	2.5"	1/8"	2"	3"	4"	5"	6"	8"	10"	12"	39"

Corridor brackets are designed to make corridor wayinding signage simple. Includes screws to hold 1/8" thick materials. Screws are available in rose gold, silver and black only.



Environmental Corridor Bracket



Environmental Wall Holder

### Wall Holder

Part Number	Insert Height	Material Thickness	Standa	Standard Lengths					
E28	1"	1/16"	4"	6"	8"	10"	12"	39"	
E29	1-1/2"	1/16"	4"	6"	8"	10"	12"	39"	
E36	2"	1/16"	4"	6"	8"	10"	12"	39"	
E37	3"	1/16"	4"	6"	8"	10"	12"	39"	
E49	4"	1/16"	4"	6"	8"	10"	12"	39"	

Mounting holes are standard for all inserts with heights between 1-1/4" -4" and lengths 4" -24". Custom holes can be requested.

### Desk Holder

Part Number	Insert Height	Material Thickness	Standard	Standard Lengths			
E25	1"	1/16"	6"	7"	8"	10"	
E70	1-1/2"	1/16"	7-1/2"	8"	10"		
E48	2"	1/16"	8"	10"	12"		



**Environmental Desk Holders** 

### Vista Clara

### PRODUCT DETAILS

Material: Aluminum

Features: 3 Anodized Finishes

Supports Paper Insert

3/16" Thick Acrylic Lens

Additional Info: Not For Use Outdoors

Sleek and contemporary with a traditional appeal. Vista Clara ofers a simple, yet effective solution for your identification and point of sale requirements. Each unit consists of an aluminum proile of high quality material along with a custom it 3/16" thick acrylic lens bevel cut to sit lush with surface of holder.

**Ordering Instructions** 

information includes: Frame style, length, and color.





### Frame Style

VC1 (1") VC4 (2") VC5 (3")

Choose from the options below to build your custom architectural aluminum frames. Required

VC3 (3")


### Length

VC2 and VC4 minimum length is 3-1/2". VC1, VC3 and VC5 minimum length is 4".

Maximum length is 39".







0.250 in







### FLOOR 2 CONFERENCE ROOM 2

### **Architectural Aluminum Frames**

Our architectural aluminum frames are the perfect addition to any o ce wall, door, counter or ceiling. Architectural aluminum frames provide a simple, yet elegant frame solution to any signage. All frames are custom fabricated to your desired speciications from a continuous aluminum extrusion.

### **HOLDERS & FRAMES**

### PRODUCT DETAILS

Material: Aluminum

8 Anodized Finishes Features:

1/16" or 1/8" Wall Thickness Radius or Square Corners Wall, Ceiling, Counter, Desk

Frame Styles

Additional Info: **Dividers Optional** 

> **Custom Frames Available** Not For Use Outdoors




### **Ordering Instructions**

Choose from the options below to build your custom architectural aluminum frames. Required information includes: Frame style, inside dimensions, corner style, color, wall thickness, and depth.

Frame Styles	
Wall / Door	Desk
Counter (Single Sided)	Counter (Double Sided)
Corridor (Single Sided)	Corridor (Double Sided)
Ceiling (Single Sided)	Ceiling (Double Sided)











### **Inside Dimensions**

Minimum frame size is 2" x 4" Desk - Maximum height of 4"

Counter & Ceiling - Maximum height of 10" Corridor - Maximum extension from wall of 12"

Frames over 100 perimeter inches will be considered custom and will

need to be quoted before fabrication.

### Corners Square Corners or Radius Corners 13/16 3/8 Standard



Powder coated colors are available, please contact us for more information.

### PRODUCT DETAILS

Material: Aluminum

Features: 8 Anodized Finishes

1/16" or 1/8" Wall Thickness Radius or Square Corners Wall, Ceiling, Counter, Desk

Frame Styles

Additional Info: Dividers Optional

Custom Frames Available Not For Use Outdoors

## Architectural Aluminum Frames


Our architectural aluminum frames are the perfect addition to any oce wall, door, counter or ceiling. Architectural aluminum frames provide a simple, yet elegant frame solution to any signage. All frames are custom fabricated to your desired speciications from a continuous aluminum extrusion.



### Wall Thickness & Frame Depth


Wall Thickness	Outside Frame Depth	Inside Frame Depth
1/16"	3/8"	3/16"
1/16"	1/2"	5/16"
1/16"	1/2"	3/16"
1/8"	1/2"	5/16"
1/8"	1/2"	3/16"

### 1/8" Wall Thickness



### Optional: Dividers


Frame drawings must be provided for divided frames showing inside dimension of each frame segment. Frame Backer Required.



### **Custom Shapes**

Custom shaped aluminum frames are available. Examples include circles, triangles, ovals, and domed frames. Please call for more information or a quote.

### 1/16" Wall Thickness



### **Additional Features**

3100
Masonite (Standard)
Plastic (Upcharge)
None
Masonite (Standard)
Plastic (Upcharge)
No (Standard)
Yes
No (Standard)
Yes (Upcharge)

\* Counter, Corridor, Desk and Ceiling frames do not come with masonite backer. Plastic Only. † Black paper laminated steel for magnetic inserts.





## Architectural Aluminum Frames

Our architectural aluminum frames are the perfect addition to any oce wall, door, counter or ceiling. Architectural aluminum frames provide a simple, yet elegant frame solution to any signage. All frames are custom fabricated to your desired specifications from a continuous aluminum extrusion.

### PRODUCT DETAILS

Material: Aluminum

Features: 8 Anodized Finishes

1/16" or 1/8" Wall Thickness Radius or Square Corners Wall, Ceiling, Counter, Desk

Frame Styles

Additional Info: Dividers Optional

Custom Frames Available Not For Use Outdoors

### Architectural Aluminum Frames Part Numbers

Frame Style	Wall Thickness	Corners	Part Number
Wall / Door	1/16"	Square	240
Wall / Door	1/16"	Radius	340
Wall / Door	1/8"	Square	540
Wall / Door	1/8"	Radius	640

Frame Style	Wall Thickness	Corners	Part Number
Desk	1/16"	Square	211
Desk	1/16"	Radius	311
Desk	1/8"	Square	511
Desk	1/8"	Radius	611

Frame Style	Sides	Wall Thickness	Corners	Part Number
Counter	Single	1/16"	Square	221
Counter	Double	1/16"	Square	222
Counter	Single	1/16"	Radius	321
Counter	Double	1/16"	Radius	322
Counter	Single	1/8"	Square	521
Counter	Double	1/8"	Square	522
Counter	Single	1/8"	Radius	621
Counter	Double	1/8"	Radius	622

Frame Style	Sides	Wall Thickness	Corners	Part Number
Corridor	Single	1/16"	Square	261
Corridor	Double	1/16"	Square	262
Corridor	Single	1/16"	Radius	361
Corridor	Double	1/16"	Radius	362
Corridor	Single	1/8"	Square	561
Corridor	Double	1/8"	Square	562
Corridor	Single	1/8"	Radius	661
Corridor	Double	1/8"	Radius	662

Frame Style	Sides	Wall Thickness	Corners	Part Number
Ceiling	Single	1/16"	Square	271
Ceiling	Double	1/16"	Square	272
Ceiling	Single	1/16"	Radius	371
Ceiling	Double	1/16"	Radius	372
Ceiling	Single	1/8"	Square	571
Ceiling	Double	1/8"	Square	572
Ceiling	Single	1/8"	Radius	671
Ceiling	Double	1/8"	Radius	672

### PRODUCT DETAILS

Material: Aluminum

Features: 8 Anodized Finishes

1/16" or 1/8" Wall Thickness

Radius or Square Corners

Additional Info: Not For Use Outdoors

Custom Sizes Available

# Mini-Directory & Changeable Message Frames

Provide simple to read directories with these pre-formatted Mini-Directory frames.

Unique changeable message frames are perfect for quick status updates and identification.



# 2" Six Mini-Directory Frame 2 1/4" 8" x 8" Seven Mini-Directory 5/8" Siots Frame 3/4"

### Mini-Directory Ordering Instructions

Choose from the options below to build your custom mini-directory frame. Required information includes: Frame size, wall thickness, corner style, and color.

Frame Size	Wall Thickness	Corners	Part Number	
6" x 6"	1/16"	Square	242-66	
6" x 6"	1/16"	Radius	342-66	
6" x 6"	1/8"	Square	542-66	
6" x 6"	1/8"	Radius	642-66	
8" x 8"	1/16"	Square	242-88	
8" x 8"	1/16"	Radius	342-88	
8" x 8"	1/8"	Square	542-88	
8" x 8"	1/8"	Radius	642-88	

#### 6" x 6" Mini-Directory

Features a one piece magnetic backed extrusion with six 1/2" x 6" slots for easy plate changes.

#### 8" x 8" Mini-Directory

Features a one piece magnetic backed extrusion with seven 5/8" x 8" slots for easy plate changes.

### Changeable Message Ordering Instructions

Choose from the options below to build your custom changeable message frame. Required information includes: Frame size, wall thickness, corner style, and color.

Frame Size	Wall Thickness	Corners	Part Number
6" x 6"	1/16"	Square	241-66
6" x 6"	1/16"	Radius	341-66
6" x 6"	1/8"	Square	541-66
6" x 6"	1/8"	Radius	641-66
8" x 8"	1/16"	Square	241-88
8" x 8"	1/16"	Radius	341-88
8" x 8"	1/8"	Square	541-88
8" x 8"	1/8"	Radius	641-88
2" x 13"	1/16"	Square	244-23
2" x 13"	1/16"	Radius	344-23
2" x 13"	1/8"	Square	544-23
2" x 13"	1/8"	Radius	644-23

### 6" x 6" Changeable Message Frame


Contains a 1" x 6" extrusion for a 1/16" message plate and a secondary 1/16" slot for a 1" x 3" cover plate to display alternating messages.

### 8" x 8" Changeable Message Frame

Contains a 1" x 8" extrusion for a 1/16' message plate and a secondary 1/16" slot for a 1" x 4" cover plate to display alternating messages.

### 2" x 13" Changeable Message Frame

Designed for 2" x 10" message plate to slide right to left to expose alternating messages on each side.



Changeable Message Frames





### Heavy Architectural Frames

Heavy Architectural Frames are perfect for a deep bold presence on any desk or counter. Fabricated from a single heavy 1/8" thick wall extrusion with either a 1-1/4" or 1-3/4" outside depth and a 5/16" inside depth.

### **HOLDERS & FRAMES**

### **PRODUCT DETAILS**

Material: Aluminum

Features: 8 Anodized Finishes

1-3/4" or 1-1/4" Frame Thickness

5/16" Inside Depth Single or Double Sided

1/8" Wall Thickness

Additional Info: Not For Use Outdoors

### **Heavy Architectural Ordering Instructions**

Choose from the options below to build your custom changeable message frame. Required information includes: Frame thickness, sides, inside dimensions, and color.

Frame Thickness	Sides	Inside Depth	Part Number	
1-3/4"	3/4" Single-Sided		932S	
1-3/4" Double-Sided		5/16"	932D	
1-1/4"	Single-Sided	5/16"	942S	
1-1/4" Double-Sided		5/16"	942D	

### **Inside Dimensions**

Minimum frame height is 2" Maximum perimeter is 70"



Heavy Architectural Aluminum Frame




1-1/4" Thick Frame



1-3/4" Thick Frame



Front View



Frame Thickness

Anodized Colors							
Polished Rose Gold	Satin Rose Gold	Polished Yellow Gold	Satin Yellow Gold	Polished Silver	Satin Silver	Matte Black	Arch Bronze

### PRODUCT DETAILS

Material: Aluminum

8 Anodized Finishes Features:

.060" Matte/Clear Lens


7/16" Outside Depth

1/8" Wall Thickness

Paper to 1/8" Material

Additional Info: **Dividers Optional** Not For Use Outdoors


Lens Included in Pricing



### **Aluminum** Frames with Lenses

Matte clear acrylic based lenses are laser cut to snap in and out of anodized aluminum frames, round or square cornered.

Made of a semi-lexible acrylic material with tabs that snap into a small channel in the frame extrusion.



### **Ordering Instructions**

Choose from the options below to build your custom architectural aluminum frames. Required information includes: Frame style, inside depth, inside dimensions, corner style, and color.

Frame Style	Corners	Wall Thickness	Part Number
Wall / Door	Square	1/8"	140
Wall / Door	Radius	1/8"	940
Desk	Square	1/8"	141
Desk	Radius	1/8"	941

Aluminum frames with lense feature a .060" Matte/Clear lens, a 7/16" outside frame depth, 1/8" thick masonite backer and 1/8" wall thickness.


Lenses can be screen printed and have tactile or Braille mounted to them while exposing a paper graphic.


### Inside Depth (Material Thickness)

Paper	1/32"
1/16"	1/8"


### **Inside Dimensions**

Minimum frame size is 2" x 4" Desk - Max Height 4" Max lens size is 200 sq. in.











### **Aluminum** Frames with Lenses

Matte clear acrylic based lenses are laser cut to snap in and out of anodized aluminum frames, round or square cornered.

Made of a semi-lexible acrylic material with tabs that snap into a small channel in the frame extrusion.

### PRODUCT DETAILS

Material: Aluminum

Features: 8 Anodized Finishes .060" Matte/Clear Lens

7/16" Outside Depth

1/8" Wall Thickness

Paper to 1/8" Material

Additional Info: **Dividers Optional** 

> Not For Use Outdoors Lens Included in Pricing

### Optional: Dividers

Frame drawings must be provided for divided frames showing inside dimension of each frame segment.

### Additional Features

Frame Backer Masonite (Standard)

Plastic (Upcharge)

None

Inside Filler Masonite (Standard)

Plastic (Upcharge)

Mounting Holes No (Standard)

Yes (Upcharge)



#### **Anodized Colors** Polished Yellow Polished Silver Satin Silver Matte Black Arch Bronze Polished Rose Satin Rose Gold Satin Yellow Gold Gold Gold

### **PRODUCT DETAILS**

Material: Aluminum

Features: 8 Anodized Finishes

Supports up to 1/4" Material

1/2" Outside Depth Bevel, Radius, Boxed, and

1/4" Frame Styles


Additional Info: Dividers Optional

Not For Use Outdoors

### Premier Plus Frames

Precision mitered from an extrusion of premium alloy in four professional styles: Beveled, Quarter Round, Boxed, and Quarter Inch Solid, makes this sign system a top of the line favorite.





### **Ordering Instructions**

Choose from the options below to build your custom architectural aluminum frames. Required information includes: Frame style, inside depth, inside dimensions, and color.


Frame Styles	
Bevel (Style 2020)	Radius (Style 2030)
Boxed (Style 2040)	Solid (Style 2050)

### Inside Dimensions

Minimum frame size is 2" x 4" Maximum frame size is 36" x 36"

Premier Plus Frame Styles

Inside Depth		
Paper Thin	3/16"	
5/16"		
Paper Thin inside depth is for use with a .060" Matte/Clear lens.		
Optional: Lens		
.060" Matte/Clear Lens		



Premier Plus Frame with Lens

Anodized Colors							
Polished Rose Gold	Satin Rose Gold	Polished Yellow Gold	Satin Yellow Gold	Polished Silver	Satin Silver	Matte Black	Arch Bronze

Powder coated colors are available for frames without a lens, please contact us for more information.



### Premier Plus Frames

Precision mitered from an extrusion of premium alloy in four professional styles: Beveled, Quarter Round, Boxed, and Quarter Inch Solid, makes this sign system a top of the line favorite.

### PRODUCT DETAILS

Material: Aluminum

Features: 8 Anodized Finishes

Supports up to 1/4" Material

1/2" Outside Depth Bevel, Radius, Boxed, and

1/4" Frame Styles

Additional Info: Dividers Optional

Not For Use Outdoors

### Optional: Dividers

1/8" Divider Thickness

1/4" Divider Thickness

Minimum divider length is 2".

1/8" dividers are standard on all frames except 1/4" solid frame style.

1/4" dividers are standard on 1/4" solid frame style.


Frame drawings must be provided for divided frames showing inside dimension of each frame segment.



Premier Plus Beveled Frame with Divider

Additional Features		
Frame Backer	Masonite (Standard)	
	Plastic (Upcharge)	
Inside Filler	Masonite (Standard)	
	Plastic (Upcharge)	
Mounting Holes	No (Standard)	
	Yes (Upcharge)	
Metal Inside*	No (Standard)	
	Yes (Upcharge)	

<sup>\*</sup> Metal Inside for magnetic changeable signage.



Premier Plus Frame Styles



Premier Plus Quarter Round Frame

### **Premier Frames**

#### PRODUCT DETAILS

Material: Aluminum

Features: 8 Anodized Finishes


Supports 1/16" Material 1/2" Outside Depth

Bevel, Radius, Boxed Frame

Additional Info: Not For Use Outdoors

Precision mitered from an extrusion of premium alloy in three professional styles: Beveled, Radiused, and Boxed makes this sign system a top of the line favorite. Each style has several features that make professional signs simple.





**Premier Frames** 

### **Ordering Instructions**

Choose from the options below to build your custom architectural aluminum frames. Required information includes: Frame style, inside dimensions, and color.

### Frame Styles

Bevel (Style 1020) Radius (Style 1030)

Box (Style 1040)

A trough 1/2" wide runs the entire inside perimeter of each frame which accommodates adhesive-backed 3M DUAL LOCK<sup>TM</sup> so that a tamper-resistant plate snaps in and out with the use of a suction cup.

### **Inside Dimensions**

Minimum frame size is 2" h x 4" w Maximum frame size is 36" x 36"

# Additional Features Frame Backer Masonite (Standard) Plastic (Upcharge) Inside Filler Masonite (Standard) Plastic (Upcharge) Mounting Holes No (Standard) Yes (Upcharge) Metal Inside No (Standard) Yes (Upcharge) 3M DUAL LOCK™ Page 57 (Upcharge)





Anodized Colors							
Polished Rose Gold	Satin Rose Gold	Polished Yellow Gold	Satin Yellow Gold	Polished Silver	Satin Silver	Matte Black	Arch Bronze



### **Curves Sign System**

Innovative and cost efective. Curves adds a whole new dimension to sign frames. Curves has many applications including personnel signs, room identiication and direction wayinding signs. Curves can be mounted to a wall or partition, hung from the ceiling with ixed bracket or wire, lag mounted or used as a desk signholder.

### PRODUCT DETAILS

Material: Aluminum

8 Anodized Finishes Features:

**Tamper Resistant** 

Up to 1/16" Material

Lens Option Available

Custom Sizes Available Additional Info:

Not For Use Outdoors

Includes End Cap and Screws

Extra Charge for Assembly

### OUTPATIENT SURGERY DVANTAGE LAB SPECIALIZING IN INTERNAL MEDICINE KAREN SIMSON, RN NURSE PRACTITIONER **ROOM EMPLOYEE** LOUNGE

### **Ordering Instructions**

Choose from the options below to build your custom architectural aluminum frames. Required information includes: Frame style, frame color, end cap color, end cap size, and frame length.

Frame Styles	
Wall/Door Mount	Desk
Flag Mount (Single Sided)	Flag Mount (Double Sided)
Hanging Ceiling Mount (Single Sided)	Hanging Ceiling Mount (Double Sided)
Flush Ceiling Mount (Single Sided)	Flush Ceiling Mount (Double Sided)

### **End Cap Color**

Black (Plastic)	Gray (Plastic)
Satin Silver Aluminum (Upcharge)	Black Aluminum (Upcharge)

Black end caps are standard.

### **End Cap Size**

2-1/2" (Style 229	9) 4" (Style 230)
6" (Style 231)	8" (Style 232)
8.5" (Style 233)	9"
10"	11"
12"	

### Length

Maximum frame length 39". Flag Mount - Max Length 12".

The arc is based on the end cap. Highest point of the arc is in the middle of the end cap.

The low points of the arc are on the length sides. For Ceiling Mounts, the brackets/mounts are placed on the length dimensions. Please specify endcap placement on Flag Mount frames.

### Additional Features

Mounting Holes	No (Standard)
	Yes (Upcharge)
Acrylic Lens*	No (Standard)
	Yes (Upcharge)

\* For paper inserts







#### **Anodized Colors** Polished Silver Satin Silver Matte Black Polished Rose Polished Yellow Arch Bronze Satin Rose Gold Satin Yellow Gold

### PRODUCT DETAILS

Material: Aluminum

Features: 4 Anodized Finishes

Up to 1/4" Thick Material

6 Frame Proiles


Additional Info: Dividers Optional

Lens Optional

Not For Use Outdoors

### Decorative Bars & Rails

Six sizes of decorative bars & rails create bold metallic borders for your signs. Options consist of bars only, 2-sided frame, and 4-sided frame. One can use equal size bars or mix two different sizes for 2-Sided frames. All four sizes can be made in to a complete four-sided frame, and all formats can snap in a matte clear lens.





Decorative Rails

### Frame Style

Rail / Bar Only

2-Sided Frame


4-Sided Frame (Max Size 36" x 36")



### **Ordering Instructions**

Choose from the options below to build your custom architectural aluminum frames. Required information includes: Bar/Rail style, frame style, inside dimensions, and color.

## Bar / Rail Style 5/8" Bar (Style 213) 1" Bar (Style 214) 1-1/2" Bar (Style 215) 2" Bar (Style 216) 1/2" Bevel Rail (Style 208) 1/4" Quarter Round Rail (Style 217)



### **Inside Dimensions**

Please provide inside dimensions for frames. If ordering Rails/Bar Only, please provide only the length. 2-Sided Frames will have the rails placed on the top and bottom of the Length dimension unless otherwise speciied.

Minimum frame size is 2" H x 4" L. Maximum frame size is 39" x 39"





### **Decorative Bars & Rails**

Six sizes of decorative bars & rails create bold metallic borders for your signs. Options consist of bars only, 2-sided frame, and 4-sided frame. One can use equal size bars or mix two diferent sizes for 2-Sided frames. All four sizes can be made in to a complete four-sided frame, and all formats can snap in a matte clear lens.

### PRODUCT DETAILS

Material: Aluminum

Features: 4 Anodized Finishes

Up to 1/4" Thick Material

6 Frame Proiles

Additional Info: **Dividers Optional** 

Lens Optional

Not For Use Outdoors

### Optional: Dividers

Dividers only available for Bar Frames.

Frame drawings must be provided for divided frames showing inside dimension of each frame segment.

Dividers are not available for Bevel Rail and Quarter Round Rail.



Additional Features		
Frame Backer	Masonite (Standard)	
	Plastic (Upcharge)	
Mounting Holes	No (Standard)	
	Yes (Upcharge)	
Metal Inside*	No (Standard)	
	Yes (Upcharge)	

<sup>\*</sup> Metal Inside for magnetic inserts.

### Optional: Lens

.060" Matte/Clear Lens. Lens allows for paper, 1/32", 1/16", 1/8" material thicknesses.





### PRODUCT DETAILS

Material: Aluminum

Features: 8 Anodized Finishes

Supports 1/16" Thick Material

Headers, Rows and

Columns

3/8" Wide Side Rails


Additional Info: Not For Use Outdoors

Tamper Resistant

### Euro Sign System

Use as a single frame or combine the Euro System with our Aluminum Holders to create tamper resistant directories, large and small. Speciically designed machined screws in round or square head lock the sign assemblies in place and provide security for your signage.





### **Ordering Instructions**

Choose from the options below to build your custom architectural aluminum frames. Required information includes: Frame style, number of columns, number of rows, slot size, and color.

### Frame Style Square (218 Style) Round (220 Style)

Sign assemblies are stacked to create directories which round out the Euro Sign System.

Square and round head screws are specially designed to cap of extrusions, and lock in the holder assemblies. Simply remove the top screws and slide sign assemblies out for a quick change. Screw holes are tapped for repeated use.

Screws are available in Satin Silver, Bright Rose Gold, Bright Yellow Gold, and Black.

### Columns / Rows / Slot Size

Please provide number of columns, rows and slot size for frames. These options will determine overall size of frame. Headers are optional.

Frame drawings must be provided for all orders showing each holder dimension and overall inside dimension.

Minimum frame size is 2" H x 4" L. Maximum frame size is 39" x 39"

Refer to wall holders section to view holder insert combinations.



Euro Sign System with Round Rails

Anodized Colors								
Polished Rose Gold	Satin Rose Gold	Polished Yellow Gold	Satin Yellow Gold	Polished Silver	Satin Silver	Matte Black	Arch Bronze	



### **Euro Sign System**

Use as a single frame or combine the Euro System with our Aluminum Holders to create tamper resistant directories, large and small. Speciically designed machined screws in round or square head lock the sign assemblies in place and provide security for your signage.

### PRODUCT DETAILS

Material: Aluminum

Features: 8 Anodized Finishes

Supports 1/16" Thick Material

Headers, Rows and

Columns

3/8" Wide Side Rails

Additional Info: Not For Use Outdoors

Tamper Resistant



### Optional: Header

A header can be added with a unique slot height. Length will be determined by number of columns and slot size.


Frame drawings must be provided for frames showing inside dimension of each section.

Additional Features					
Frame Backer	Masonite (Standard)				
	Plastic (Upcharge)				
Mounting Holes	No (Standard)				
	Yes (Upcharge)				
Material Thickness	1/16" (Standard)				
	1/8" (Notched Holder - Upcharge)				

Euro Sign System with Header and 2 Columns



Euro Sign with Square Rails







Multiple Rows and Columns

### **Flex Frames**

### PRODUCT DETAILS

Material: Aluminum

Features: 8 Anodized Finishes

Supports up to 1/16" Material

1/2" Outside Depth 3/16" Square Rails

3/16" ABS Backer

Additional Info: Tamper Resistant

Not For Use Outdoors

Attractive, functional and lexible, FLEX is a tamper resistant sign frame option that can be utilized for virtually any interior signage application. Square side rails with inished ends use a mix of our wall brackets that slide into the rails and are secured with a setscrew combination ofering a wide range of signage options while maintaining ease of maintenance and changeability.

HUMAN RESOURCES	5
CAMERON MEYER	C122
MICAELA SMITH-LAMB	C123
JESSE PELLEGRINO	C124
KYLE HANSON	C125
AUSTIN TAYLOR	C126
DAVE GRIFFITTS	C127



#### Flex Frames

### **Ordering Instructions**

Choose from the options below to build your custom architectural aluminum frames. Required information includes: Frame style, number of rows, row height, width, and color.

### Frame Style

301 Style

### **Dimensions**

Please provide number of insert rows with and height and width of each insert. These options will determine overall size of frame.

Frame drawings must be provided for all orders showing each dimension.

Minimum total height is 2". Maximum height is 39". Minimum width is 4". Maximum width is 39".









### Additional Features

Mounting Holes

No (Standard)

Yes (Upcharge)

Anodized Colors								
Polished Rose Gold	Satin Rose Gold	Polished Yellow Gold	Satin Yellow Gold	Polished Silver	Satin Silver	Matte Black	Arch Bronze	



### **Coherent Window Series**

Fabricated from aluminum with a styrene backer, Coherent Window Series is a simple straight-forward and economical frame system that will accommodate a variety of inserts from paper to 1/16" material. Inserts are protected by our matte-clear lens. Recommended for signage needing frequent changing.

### PRODUCT DETAILS

Material: Aluminum

Features: 8 Anodized Finishes

Matte/Clear Lens

Up to 1/16" Material 1/16" Black Styrene Backer

Additional Info: Not For Use Outdoors

### **Ordering Instructions**

Choose from the options below to build your custom architectural aluminum frames. Required information includes: Frame style, inside dimensions, and color.

### Frame Style

3575 Style

### **Inside Dimensions**

Maximum rail length is 39".

Top and bottom square rails have a 3/8" face width and 5/16" outside depth. Side rails have a 3/32" face width.

Matte/Clear lenses are .060" thickness and are attached to the top rail for easy slide out.



Coherent Window Frame







DO NOT DISTURB
MEETING IN PROGRESS

Wellpoint Financial Partners
Financing 2017 & Beyond

Anodized Colors								
Polished Rose Gold	Satin Rose Gold	Polished Yellow Gold	Satin Yellow Gold	Polished Silver	Satin Silver	Matte Black	Arch Bronze	

### PRODUCT DETAILS

Material: Aluminum

Features: 2 Anodized Finishes

5/8" Outside Depth Up to 5/16" Thick Material

Hard Coat Finish

Additional Info: For Use Outdoors

Corner Angles Included

### **Xterior Outdoor Frames**

Precision mitered from a premium aluminum alloy, XTERIOR is suitable for outdoor applications. Available in two 'Hard-coat' anodized colors, Satin Yellow Gold and Satin Silver, each frame is hand assembled utilizing stamped stainless steel corner angles.



### **Ordering Instructions**

Choose from the options below to build your custom architectural aluminum frames. Required information includes: Inside dimensions, and color.

### Frame Style

3020 Style

### **Inside Dimensions**

Minimum frame size is 3" x 3" Maximum frame size is 36" x 36"

Corner angles included




Xterior Outdoor Frame



**Xterior Outdoor Frame** 

### Additional Features Mounting Holes No (Standard) Yes (Upcharge)



Xterior Outdoor Frame - Back View

### **Anodized Colors**

Satin Yellow Gold Satin Silver



**Xterior Outdoor Frame** 

### EZ Signs

### **HOLDERS & FRAMES**



Create signs from any desktop computer using our E-Z Sign system. Simple user-friendly templates and within minutes you can be printing your own signs on our custom perforated sheets using your own word processing program. Perfectly suited for temporary signs, often-changed signs, informational signs or conference rooms. With the E-Z Sign system, your options only end with your imagination.

### PRODUCT DETAILS

Material: Molded Plastic
Features: 7 Color Options

1/2" Outside Depth


1/8" Wall Thickness Paper Insert

1/8" Mounting Holes

Downloadable Templates
Additional Info: Not For Use Outdoors

Additional 10-Pack Perforated

Pages Available



Inside Dimension	Square	Radius
1-3/4" x 4-1/8"	6124	5124
1-3/4" x 9-1/8"	6129	5129
4-1/8" x 4-1/8"	6144	5144
4-1/8" x 9-1/8"	6149	5149
6-1/8" x 6-1/8"	6166	5166
6-1/8" x 9-1/8"	6169	5169
8-1/2" x 11"	6181	

Radius frames have a 5/16" inside radius.

Each frame set includes: 1 frame with lens, 1 sheet of perforated paper, and a suction cup.

Templates can be downloaded from our website.

### Optional: Desk Base

Use part number 7500 to turn 5129 & 6129 into a desk frame.



7500 Desk Base







Conference Room B

Toesday, August 14th

9:00-10:00am Team Meeting
12:00-100pm Tamining
12:00-100pm Sales Meeting
2:00-300pm Sales Meeting
3:00-300pm Sales Meeting
3:00-5:00pm Herry Vest
1R

ate Print Document

Place in Frame

Snap in Lens



### PRODUCT DETAILS

Molded Plastic Material: Features: 7 Color Options

1/2" Outside Depth

1/8" & 1/4" Wall Thickness Supports 1/16" & 1/8" Material

1/8" Mounting Holes

Additional Info: Corridor Frame Optional

Lens Optional


Not For Use Outdoors

### Designer **Frames**

Our Designer Frame System Frame System is designed for quality interior signage. Several unique features ofered by this sys tem will make designing and mounting interior signage simple! Available in square or radius corners.



Pin for mounting to fabric covered partitions



Inside Dimension	Square Door/Wall	Radius Door/Wall	Square Corridor	Radius Corridor
1-7/8" x 3-7/8"	3124	9124		
1-7/8" x 7-7/8"	3128	9128		
1-7/8" x 9-7/8"	3120	9120	3220	9220
3-7/8" x 3-7/8"	3144	9144		
3-7/8" x 7-7/8"	3148	9148		
3-7/8" x 9-7/8"	3140			
3-7/8" x 11-7/8"		9142	3242	9242
5-7/8" x 5-7/8"	3166	9166	3266	9266
5-7/8" x 7-7/8"	3168			
5-7/8" x 11-7/8"		9162	3262	9262
7-7/8" x 7-7/8"	3188	9188	3288	9288
11-7/8" x 11-7/8"		9122	3222	9222

Radius frames have a 3/8" inside radius and a 1/8" wall thickness. Square frames have a 1/4" wall thickness.

Corridor frames come with a anodized matte black metal bracket.

Signage plates can be mounted with adhesive backed material or Dual-Lock™ so they are tamper resistant but still removable with a suction cup. For permanent signage use adhesive or two sided transfer tape.

Ofers pin system that mounts into frame making easy hanging from fabric o □ce partitions and cubicles. Wire pins sold separately.

### Optional: Desk Base

Use part # 9000 to turn 9120, 9128, 3120, and 3128 into a desk frame.



### Optional: Lens

Lenses are custom fabricated from an .060" thick Matte/Clear material.







### Designer Frames

Our Designer Frame System Frame System is designed for quality interior signage. Several unique features ofered by this system will make designing and mounting interior signage simple!

### PRODUCT DETAILS

Material: Molded Plastic Features: 7 Color Options 1/2" Outside Depth

1/8" & 1/4" Wall Thickness

Supports 1/16" & 1/8" Material 1/8" Mounting Holes

Additional Info: Corridor Frame Optional

Lens Optional

Not For Use Outdoors







Corridor Bracket

Desk Frame


Kev Hole & Wire Clip

Available Colors									
Almond	Arch Brown	Black	Brown	Medium Gray	Pewter	White			

### **Designer Modular Frame Sections**

Part Number	Section Height	Inside Length	Modular Section	Color
3112BL	2"	11-7/8"	End Section	Black Only
3113BL	2"	11-7/8"	Mid Section	Black Only

2" sections can be added together to increase the height of the frame. Sections it together by rotating plastic tabs into plastic barrels that can be glued together or screwed together with a #2 lat head self tapping screw.



Designer Modular Frame

### PRODUCT DETAILS

Material: Molded Plastic Features: 7 Color Options

1/2" Outside Depth

1/8" Wall Thickness

Supports 1/16" & 1/8" Material

1/8" Mounting Holes

Additional Info: Corridor Frame Optional

Lens Optional

Not For Use Outdoors

### **Architectural Plastic Frames**

Architectural Frames in Molded Plastic is a round and square corner system designed for quality interior signage. All frames have a 1/2" outside depth, 1/8" thick walls, and mounting holes for attaching to walls. Each frame is designed to accommodate all sign material from 1/16" to 1/8" thick. Frames with rounded corners have a 5/16" radius.





Architectural Plastic Frame

Inside Dimension	Square Door/Wall	Radius Door/Wall	Square Corridor	Radius Corridor	Square Desk Bar	Radius Desk Bar
1-3/4" x 4-1/8"	8124	7124				
1-3/4" x 9-1/8"	8129	7129	8329	7329	8029	7029
1-3/4" x 13-1/8"	8123	7123				
4-1/8" x 4-1/8"	8144	7144				
4-1/8" x 9-1/8"	8149	7149				
4-1/8" x 13-1/8"	8143	7143	8343	7343		
6-1/8" x 6-1/8"	8166	7166	8366	7366		
6-1/8" x 9-1/8"	8169	7169				
8-1/2" x 11"	8181					
9-1/8" x 9-1/8"	8199	7199	8399	7399		

Radius frames have a 5/16" inside radius.

Corridor frames come with a anodized matte black metal bracket.

Desk Bars feature a 1" thick frame

### Optional: Lens

Lenses are custom fabricated from an .060" thick Matte/Clear material.

### Optional: Desk Base


Use part number 7500 to turn 7129, 8129, 7123 & 8123 into a desk frame.







Desk Bar



Corridor Bracket

7500 Desk Base






### Fixtures & **Frame Supplies**

### 3M™ Dual-Lock™

Part Number	Name	Size	Applied Adhesive	Color
BO9400	Dense Dual-Lock™	1/2" x 12"	Yes	Black
BO9450	Wave Dual-Lock™	1/2" x 12"	Yes	Black



Adhesive backed 3M™ Wave Dual-Lock™ engages with 3M™ Dense Dual-Lock™ giving an audible snap to ensure positive locking. Dual-Lock™ is perfect for mounting signage into the JRS Designer frames and Premier Frames.



### Looped End Cables & V-Clip

Part Number	Name	Standard Length	Wire Diameter	Loop Size	Maximum Weight
BO9310	V-Clip				25 Lbs.
BO9315	Looped End Cable	12"	1/16"	1"	30 Lbs.

JRS double-sided frames are easily suspended from T-bar ceilings by combining "V" clips and looped-ended cables.

### **Suction Cups**

Part Number	Name	Diameter
BO9010	Suction Cup Hanger	1-3/4"
BO8000	Suction Cup	1-3/16"





BO9010 - Suction cup hanger has a metal hanger for hanging signs on windows and glass doors.

BO8000 - Sign panels and lenses can be easily inserted and removed using convenient suction cups with removal ring.



### Prestige Stand-Ofs

Stand-Ofs create a rich inished layered look by raising your material of the surface. Our stand-ofs come in packages of four and are for use with 1/16" to 3/8" thick material. Material stud included, mounting screws not included.

### PRODUCT DETAILS

Material: Aluminum

Features: 3 Anodized Finishes

1/2" & 3/4" Diameter Options Supports 1/16" to 3/8" Material

3/4" & 1" Bar Height

Additional Info: 4 Per Pack

Not For Use Outdoors Screws Not Included

### **Prestige Stand-Ofs**

Part Number	Diameter	Bar Height	Cap Height	Required Hole Size	Color
CA1319BL	1/2"	3/4"	5/32"	5/16"	Black
CA1319SS	1/2"	3/4"	5/32"	5/16"	Satin Silver
CA1319SYG	1/2"	3/4"	5/32"	5/16"	Satin Yellow Gold
CA1925BL	3/4"	1"	1/4"	3/8"	Black
CA1925SS	3/4"	1"	1/4"	3/8"	Satin Silver
CA1925SYG	3/4"	1"	1/4"	3/8"	Satin Yellow Gold

CA1319 stand-ofs will use a #6 screw for mounting, not included.

CA1925 stand-ofs will use a #8 screw for mounting, not included.



Prestige Stand-Ofs










Need a custom size, American-Made stand-of? Contact us for details.

JRS carries multiple simple solutions for mounting on o □ce cublicles and partitions.

### **Cubicle & Partition Mounts**





### Clear Plastic Partition Hanger

Part Number	Color	Depth	Height	Width
P110	Clear	2-1/8"	1-7/8"	3-1/2"

For mounting nameplates or signs over the top of o□ce partitions. High strength adhesive or foam tape recommended for mounting to signage.

Custom acrylic sign holders and partition brackets are available in both 1/16" x 1/8" material. Please contact us for more information.

### **Partition Pins**

Part Number	Color	Adhesive	Base Dimensions	Pin Length
JN4988	Clear	No	3/4" x 1"	1-5/8"
JN4985	Clear	Yes	3/4" x 1"	1-5/8"

Partition pins are applied to the back of signage to allow mounting to fabric o □ce partitions.



Partition Pin



3" Wire Clip

### Wire Clips for Designer Frames

Part Number	Size
BO9100	6"
BO9200	3"

Wire clips have been designed to be used with the Designer series frames.

Insert wire clip through holes located at top of the frame. Work around bend in wire while gently applying pressure upwards. Snap wire in places between frame and small peg. Apply adhesive inside frame over wire to secure permanent wire placement.

### **MOUNTING**

JRS stocks two popular types of adhesive one is a transfer tape, the other is a mounting tape. We also carry an engraving table mat for keeping engraving material in place.

### **Engraving Supplies**





Transfer Tape

### Orafol® Orabond® Transfer Tape

Part Number	Color	Size	Thickness	Adhesive Type
O1255	Clear	12" x 55yd	.002"	Acrylic

Orafol® Orabond® 1375 is perfect for bonding two sheets together and is recommended when applying ADA appliqué to a substrate.

This transfer tape consists of a highly transparent pure acrylate adhesive with an excellent resistance to ultraviolet radiation, extreme temperatures, chemicals, solvents and humidity. Its high shear transfer adhesive is extremely durable on metal, varnish and high energy surfaces.

### 3M™ VHB™ Mounting Tape

Part Number	Color	Size	Thickness	Adhesive Type
RP45	Gray	1/2" x 36yd	.045"	Acrylic

The 3M™ VHB™ RP45 mounting tape consists of a durable acrylic adhesive with viscoelastic properties. This provides an extraordinarily strong double sided foam tape that adheres to a broad range of substrates, including aluminum, stainless steel, galvanized steel, composites, plastics, acrylic, polycarbonate, ABS and painted or sealed wood and concrete.



**Mounting Tape** 



Engraving Table Hold Down Mat

### **Engraving Table Hold Down Mat**

Part Number	Size	Color
SK2448	24" x 48"	White

Seklema table mat is a highly recommended tacky rubber mat used in engraving machines. Seklema is used to keep your engraving material held down lat and prevents movement during engraving, eliminating the need for table adhesives or vacuums. Seklema comes with a rigid plastic core and is double sided with a tacky rubber coating allowing the material to be lipped over for continued use.

### Hook and Loop Fastener

Part Number	Style	Color	Size	Adhesive Type
H58BL	Hook	Black	5/8" x 25yd	Acrylic
L58BL	Loop	Black	5/8" x 25yd	Acrylic

Hook and loop fastener tape is perfect for items that need strong secure mount but will also allow for removal of signage. This tape can be applied to various surfaces and provides a strong bond. Hook and loop are pressed together to create the secure bond.



Hook and Loop Fastener

### **ADA & SUPPLIES**

### PRODUCT DETAILS

Material Type: Usage: Finish:

Thickness:

Options:

Impact Modiled Acrylic Outdoor/Indoor

Matte (non-glare) Finish 1/32" | 1/16" | 1/8"

1-Ply

Ply: Sheet Size:

24" x 48" | 24" x 24" | 12" x 24" Pre-Applied Adhesive Available

for 1/32" Sheets


Adhesive available for 1/16" & 1/8" Sheets (Upcharge)


### **DuetsTactiles**™

ADA wayinding is a vital segment of any sign making business, and DuetsTactiles products are the perfect solution. Choose from the broadest selection of modern colors to match any interior or exterior decor.



Bright Metallic Medieval White **Thickness** Clear/Matte Frost Warm White Yellow Orange Pipestone Red Burgundy White Gold Copper 1/32" \*A | A2 L-010-033\* L-010-303\* L-010-583\* L-010-113\* L-010-563\* L-010-143\* L-010-673\* L-010-623\* L-010-423\* L-010-533\* L-010-133\* L-010-543\* 1/16" L-010-036 L-010-306 L-010-586 L-010-116 L-010-566 L-010-146 L-010-676 L-010-626 L-010-426 L-010-536 L-010-136 L-010-546 L-010-308 L-010-118 L-010-628 L-010-138 L-010-038 I -010-588 L-010-568 I -010-148 I -010-678 I -010-428 I -010-538 I -010-548 1/8"





Thickness	Aged Bronze	Chestnut	Chocolate Brown	Light Grey	Grey	Silver	Oyster Shell	River Clay	Frosted Plum	Charcoal Grey	Graphite	Black
1/32" *A   A2	L-010-593*	L-010-613*	L-010-163*	L-010-473*	L-010-653*	L-010-193*	L-010-483*	L-010-503*	L-010-413*	L-010-293*	L-010-553*	L-010-103*
1/16"	L-010-596	L-010-616	L-010-166	L-010-476	L-010-656	L-010-196	L-010-486	L-010-506	L-010-416	L-010-296	L-010-556	L-010-106

JRS carries a variety of braille balls and braille dot drills for creating quality ADA signage.



Rraille Ralls

### **ADA Braille Balls**

Part Number	Color	Size	Package Qty	Material
AB-BLACK	Black	.059"	11,000	Acrylic
AB-CLEAR	Clear	.059"	11,000	Acrylic
AB-GRAY	Gray	.059"	11,000	Acrylic
AB-WHITE	White	.059"	11,000	Acrylic
MB-STAINLESS	Stainless Steel	.059"	1,000	Stainless Steel

Produce high quality ADA-compliant signage with our ADA Braille Balls. Beads can be applied to any material which has been drilled for braille beads or raster beads.

### **Braille Dot Drill**

Part Number	Name	Shank Diameter	Length	Material
EZH171	EZ Bit Holder	11/64"	6"	Stainless Steel
EZH250	EZ Bit Holder	1/4"	6"	Stainless Steel
EZBD171	Braille Dot Drill Insert	11/64"	1"	Solid Carbide
EZBD250	Braille Dot Drill Insert	1/4"	1"	Solid Carbide

EZ Bit holders are the quick solution to replacing damaged or worn engraving cutters at a signii - cant cost savings to you. You can easily replace the cutter tip without the need to remove the cutter shaft or knob. Includes allen wrench.

EZ Bit Braille Dot Drill Inserts are used for creating ADA braille holes needed for ADA braille beads. For use with the EZ Bit Holders.





F7 Rit Holder and Dot Drill Insert



The Hitt Companies, Inc. Divisions



HITT Marking Devices www.HittMarking.com



Rubber Stamps R Us www.RubberStampsRus.com



National Stencil and Sign www.NationalStencil.com

3231 W. MacArthur Blvd. - Santa Ana, CA 92704 - Ph. 714-979-1405